

Minimum Cost Perfect Matching

November 29, 2016

Abstract

This is pseudocode for Minimum Cost Perfect Matching in Bipartite Graphs

Algorithm 3.3 Minimum Cost Perfect Matching in Bipartite Graphs

Input : Graph $G = (V, E)$ with bipartition U, W where $|U| = |W|$ and costs c .

Output: A minimum cost perfect matching M or a deficient set S

1

$$\vec{y}_v := \frac{1}{2} \min \{c_e : e \in E\} \quad (1)$$

for all $v \in V$

2 **while** Construct graph H with vertices V and edges

$$\{uv \in E : c_{uv} = \vec{y}_u + \vec{y}_v\} \quad (2)$$

do

3 {

4 **if** H has perfect matching M **then**

5 {

6 **stop** (M is a minimum cost perfect matching of G)

7 }

8 }

9 Let $S \subseteq U$ be a deficient set for H

10 **if** all edges of G with an endpoint in S have an endpoint in $N_H(S)$ **then**

11 {

12 **stop** (S is a deficient set of G)

13 }

14

$$\epsilon := \min \{c_{uv} - \vec{y}_u - \vec{y}_v : uv \in E, u \in S, v \notin N_H(S)\} \quad (3)$$

15

$$\vec{y}_v := \begin{cases} \vec{y}_v + \epsilon & \text{for } v \in S \\ \vec{y}_v - \epsilon & \text{for } v \in N_H(S) \\ \vec{y}_v & \end{cases} \quad (4)$$
