

FUNDAMENTALS OF LOGIC

NO.11 RESOLUTION PRINCIPLE

Tatsuya Hagino

hagino@sfc.keio.ac.jp

lecture URL

<https://vu5.sfc.keio.ac.jp/slide/>

So Far

- Propositional Logic
 - Logical connectives (\wedge , \vee , \rightarrow , \neg)
 - Truth table
 - Tautology
 - Normal form
 - Axiom and theorem
 - LK framework
 - Soundness and completeness
- Predicate Logic
 - Logical Formulas (language, term)
 - Quantifiers ($\forall x P(x)$, $\exists x P(x)$)
 - Closed formulae (bound and free variables)
 - Semantics of predicate logic (domain, interpretation, structure)
 - Valid formulae
 - Prenex formulae
 - LK framework for predicate logic
 - Soundness and completeness
 - Skolemization
 - Herbrand Theorem

Skolemization and Herbrand Theorem

- *Skolemization*

- The followings are equivalent:
 - $\forall x_1 \cdots \forall x_n \exists y A$ is satisfiable.
 - $\forall x_1 \cdots \forall x_n A[f(x_1, \dots, x_n)/y]$ is satisfiable.
- To check the satisfiability of a formula, it can be transformed into $\forall x_1 \cdots \forall x_n A$ (where A does not contain any quantifiers) and check its satisfiability.

- *Herbrand Theorem*

- Let $\forall x_1 \cdots \forall x_n A$ be a universal prenex normal form in language L (A does not contain any quantifiers). The followings are equivalent:
 - $\forall x_1 \cdots \forall x_n A$ is unsatisfiable.
 - There exists a natural number m and H_L terms t_{i1}, \dots, t_{in} ($i = 1, \dots, m$),

$$A[t_{11}/x_1, \dots, t_{1n}/x_n] \wedge \cdots \wedge A[t_{m1}/x_1, \dots, t_{mn}/x_n]$$

is unsatisfiable in any Herbrand structure $\langle H_L, J \rangle$.

Resolution Principle for Propositional Logic

- *Complementary Literal*

- For literals L and L' , L and L' are complementary if $L' = \neg L$ or $L = \neg L'$.

- *Resolvent*

- For clauses $L_1 \vee \dots \vee L_n$ and $L'_1 \vee \dots \vee L'_m$, when L_i and L'_j are complementary, the clause connecting the two and removing the complementary ones is called its *resolvent*.

$$L_1 \vee \dots \vee L_{i-1} \vee L_{i+1} \vee \dots \vee L_n \vee L'_1 \vee \dots \vee L'_{j-1} \vee L'_{j+1} \vee \dots \vee L'_m$$

- Example:

- Resolvent of $p \vee \neg q \vee r$ and $\neg p \vee q$
 - $\neg q$ and q are complementary $\Rightarrow p \vee r \vee \neg p$
 - p and $\neg p$ are complementary $\Rightarrow \neg q \vee r \vee q$


- Given a set of clauses, repeatedly adding a resolvent of clauses and putting it back to the set is called *resolution principle*.

Exercises: Resolvent

1. Resolvent of $p \vee \neg q$ and $\neg p \vee r$
2. Resolvent of $p \vee \neg p \vee q$ and $p \vee \neg q \vee r$
3. Resolvent of $p \vee \neg q$ and $\neg p \vee q$
4. Resolvent of $p \vee \neg q$ and $\neg p$
5. Resolvent of p and $\neg p$

Resolution Proof Tree

- $\{p \vee \neg q \vee r, \neg p, q \vee r \vee s, r \vee \neg s \vee t\}$



Exercise: Resolution Proof Tree

- $\{p \vee \neg q \vee r, \neg r, q \vee \neg r, \neg p \vee r, q \vee r\}$

Theorem about Resolution Principle

- Let C be a resolvent of C_1 and C_2 .
 - If an assignment v makes both C_1 and C_2 true, it also makes C true.
 - If $v(p \vee A) = T$ and $v(\neg p \vee B) = T$, then $v(A \vee B) = T$.
- **Theorem:** If a set of clauses S is satisfiable, S with its resolvent is also satisfiable.
- *Empty Clause*
 - A clause without literals.
 - Use \square to represent the empty clause.
 - It means false or contradiction.
- **Theorem:** For a set of clauses S , if there is a resolution proof tree which contains \square , S is unsatisfiable.
 - In order to show A is a tautology, convert $\neg A$ to clauses and find a resolution proof tree of \square .

Predicate Logic

- $P(c)$ and $\neg P(z)$ are not complementary (where c is a constant and z is a variable).
 - Replace z with c (i.e. assigning c to z)
 - $P(c)$ and $\neg P(c)$ are complementary.
- $P(x, f(y))$ and $\neg P(z, z)$ are not complementary
 - Let $\theta = [f(y)/x]$ and $\mu = [f(y)/z]$ be two assignments.
 - $P(x, f(y))\theta = P(z, z)\mu$
- From Herbrand theorem,
 - In order to show the unsatisfiability of a set of clauses C , it is enough to show that their ground clauses are unsatisfiable.
 - Apply resolution principle to ground clauses.

Unification


- Atomic formulae $P(t_1, \dots, t_n)$ and $Q(s_1, \dots, s_m)$ are *unifiable* when
 - P and Q are the same predicate symbol,
 - n and m are equal, and
 - an assignment θ makes $t_1\theta = s_1\theta, \dots, t_n\theta = s_n\theta$.

θ is called *unifier*.

- *Most General Unifier (mgu)*
 - θ is a unifier, and
 - for any unifier μ , there is a θ' and $\mu = \theta' \circ \theta$.
- Calculate mgu: compare two terms t and t' from left to right, and find unequal point.
 - If the unequal point is not variable, there is no unifier.
 - If the unequal point is a variable x and a term s ,
 - if x appears inside s , there is no unifier.
 - otherwise, let $\theta = [s/x]$ and find an mgu θ' of $t\theta$ and $t'\theta$, then $\theta' \circ \theta$ is an mgu of t and t' .

Example of Unification

- Calculate an mgu of $P(x, f(y))$ and $P(g(z, z), z)$.
 - The first unequal point is x and $g(z, z)$. Let $\theta = [g(z, z)/x]$.
 - Applying θ gives $P(g(z, z), f(y))$ and $P(g(z, z), z)$.
 - The next unequal point is $f(y)$ and z . Let $\theta' = [f(y)/z]$.
 - θ' makes both formulae $P(g(f(y), f(y)), g(f(y)))$.
 - Therefore, the mgu is $\theta' \circ \theta = [g(f(y), f(y))/x, f(y)/z]$.



Example of MGU

1. Find an mgu of $P(x)$ and $P(f(c))$ where c is a constant.
2. Find an mgu of $P(x, y)$ and $P(z, z)$.
3. Find an mgu of $P(x, c)$ & $P(z, z)$ where c is a constant.
4. Find an mgu of $P(g(x), f(y))$ and $P(z, f(g(z)))$.

Example of Resolution Principle (1)

- Prove Socrates problem.
 - $P(x)$ = "x is a man."
 - $Q(x)$ = "x is mortal."
 - Let s be an object constant for Socrates.
- $P(s) \wedge \forall x(P(x) \rightarrow Q(x)) \rightarrow Q(s)$

Example of Resolution Principle (2)



- $\forall x R(x, x) \wedge \forall x \forall y \forall z \left((R(x, y) \wedge R(z, y)) \rightarrow R(x, z) \right) \rightarrow$
 $\forall x \forall y \forall z \left((R(x, y) \wedge R(y, z)) \rightarrow R(x, z) \right)$

Example of Resolution Principle (3)

- $\forall x R(x, x) \wedge \forall x \forall y \forall z \left((R(x, y) \wedge R(y, z)) \rightarrow R(x, z) \right) \rightarrow \exists y \forall x R(x, y)$

Linear Resolution

- In general, the resolution allows any order of combinations of clauses to get the empty clause.
- Linear Resolution**
 - A set of clauses: S
 - A linear resolution: C_0, C_1, \dots, C_n
 - $C_0 \in S, C_n = \square$
 - C_{k+1} is a resolvent of C_k and a clause of S or C_j ($j \leq k$).
- Example: $S = \{p \vee \neg q \vee r, \neg r, q \vee \neg r, \neg p \vee r, q \vee r\}$
- Find a linear resolution of $p \vee \neg q \vee r$.



Logic Programming

- Logic Programming
 - Restrict to Horn clauses.
 - Starting from goal clause and using linear resolution to deduce the empty clause.
- *Horn Clause*
 - A clause $L_1 \vee \dots \vee L_m$ where at most one literal is an atomic formula (others are negation of atomic formulae).
 - Program Clause: a clause where one literal is an atomic formula.
 - $A \vee \neg B_1 \vee \dots \vee \neg B_n$
 - $A \leftarrow B_1, \dots, B_n$
 - Goal Clause: a clause where all the literals are negation of atomic formulae.
 - $\neg B_1 \vee \dots \vee \neg B_n$
 - $\leftarrow B_1, \dots, B_n$

SWI-Prolog

- You can download SWI-Prolog freely.

```
% swipl
Welcome to SWI-Prolog (Multi-threaded, 64 bits, Version 5.10.5)
Copyright (c) 1990-2011 University of Amsterdam, VU Amsterdam
SWI-Prolog comes with ABSOLUTELY NO WARRANTY. This is free software,
and you are welcome to redistribute it under certain conditions.
Please visit http://www.swi-prolog.org for details.

For help, use ?- help(Topic). or ?- apropos(Word).

1 ?- ['user'].
human(socrates).
|: mortal(X):-human(X).
|:
% user://1 compiled 0.00 sec, 1,976 bytes
true.

2 ?- mortal(socrates).
true.

3 ?- halt.
%
```

Summary

- Resolution Principle
 - resolvent of two clauses
 - a resolution proof tree with empty clause
- Unification
 - Unify two predicates by assigning terms to variables
 - mgu: most general unifier
- Logic Programming
 - Horn clause
 - Linear resolution